



## STATE OF UTAH CONTRACT

1. CONTRACTING PARTIES: This contract is between the following agency of the State of Utah:

Department: Department of Transportation Agency Code: 810 Division: Procurement, referred to as (STATE), and the following CONTRACTOR:Myers Power Products

Name

725 East Harrison Street

Address

Corona CA 92879

City State Zip

Contact Person Patrice Davezan Phone # (951) 520-1900 Email bids@myerspower.comFax # (951) 520-1961Federal Tax ID# 22-3822655 Vendor # 124127A Commodity Code # 55088

## LEGAL STATUS OF CONTRACTOR

☐ Sole Proprietor☐ Non-Profit Corporation☒ For-Profit Corporation☐ Partnership☐ Government Agency

2. GENERAL PURPOSE OF CONTRACT: The general purpose of this contract is to provide:  
Utah Department of Transportation With Lighting and Signal Power Pedestals.
3. PROCUREMENT: This contract is entered into as a result of the procurement process on RX#, RX-810-66000000089,  
FY 2006 Bid# GL6054
4. CONTRACT PERIOD: Effective date 15th, August 2006 Termination date 14, August 2011 unless terminated  
early or extended in accordance with the terms and conditions of this contract. Renewal options None
5. CONTRACT COSTS: CONTRACTOR: See Attachment D for Pricing. This is a "Requirements Contract"
6. ATTACHMENT A: Division of Purchasing's Standard Terms and Conditions  
Any conflicts between Attachment A and other Attachments will be resolved in favor of Attachment A.  
ATTACHMENT B: Scope of Work  
ATTACHMENT C: Special Terms and Condition  
ATTACHMENT D: Pricing
7. DOCUMENTS INCORPORATED INTO THIS CONTRACT BY REFERENCE BUT NOT ATTACHED:
- All other governmental laws, regulations, or actions applicable to the goods and/or services authorized by this contract.
  - Utah State Procurement Code, Procurement Rules, and CONTRACTOR'S response to Bid # GL6054  
Dated: 06/14/06

IN WITNESS WHEREOF, the parties sign and cause this contract to be executed.

## CONTRACTOR

Contractor's signature

Date

Type or Print Name and Title

## STATE

Tracie Montano, Procurement Manager

Date

Director, Division of Purchasing

Date

PROCESSED BY  
DIVISION OF FINANCE

Director, Division of Finance

Date

SEP 07 2006

SEP - 8 2006

Paul Kikuchi

Agency Contact Person

801-965-4071

Telephone Number

801-965-4073

Fax Number

pkkuchi@utah.gov

E-Mail

## ATTACHMENT A: STATE OF UTAH STANDARD TERMS AND CONDITIONS

1. **AUTHORITY:** Provisions of this contract are pursuant to the authority set forth in 63-56, Utah Code Annotated, 1953, as amended, Utah State Procurement Rules (Utah Administrative Code Section R33), and related statutes which permit the State to purchase certain specified services, and other approved purchases for the State.
2. **CONTRACT JURISDICTION, CHOICE OF LAW, AND VENUE:** The provisions of this contract shall be governed by the laws of the State of Utah. The parties will submit to the jurisdiction of the courts of the State of Utah for any dispute arising out of this Contract or the breach thereof. Venue shall be in Salt Lake City, in the Third Judicial District Court for Salt Lake County.
3. **LAWS AND REGULATIONS:** Any and all supplies, services and equipment furnished will comply fully with all applicable Federal and State laws and regulations.
4. **RECORDS ADMINISTRATION:** The Contractor shall maintain, or supervise the maintenance of all records necessary to properly account for the payments made to the Contractor for costs authorized by this contract. These records shall be retained by the Contractor for at least four years after the contract terminates, or until all audits initiated within the four years, have been completed, whichever is later. The Contractor agrees to allow State and Federal auditors, and State Agency Staff, access to all the records to this contract, for audit and inspection, and monitoring of services. Such access will be during normal business hours, or by appointment.
5. **CONFLICT OF INTEREST:** Contractor represents that none of its officers or employees are officers or employees of the State of Utah, unless disclosure has been made in accordance with 67-16-8, Utah Code Annotated, 1953, as amended.
6. **CONTRACTOR, AN INDEPENDENT CONTRACTOR:** The Contractor shall be an independent contractor, and as such, shall have no authorization, express or implied, to bind the State to any agreements, settlements, liability, or understanding whatsoever, and agrees not to perform any acts as agent for the State, except as herein expressly set forth. Compensation stated herein shall be the total amount payable to the Contractor by the State. The Contractor shall be responsible for the payment of all income tax and social security amounts due as a result of payments received from the State for these contract services. Persons employed by the State and acting under the direction of the State shall not be deemed to be employees or agents of the Contractor.
7. **INDEMNITY CLAUSE:** The Contractor agrees to indemnify, save harmless, and release the State OF UTAH, and all its officers, agents, volunteers, and employees from and against any and all loss, damages, injury, liability, suits, and proceedings arising out of the performance of this contract which are caused in whole or in part by the negligence of the Contractor's officers, agents, volunteers, or employees, but not for claims arising from the State's sole negligence.
8. **EQUAL OPPORTUNITY CLAUSE:** The Contractor agrees to abide by the provisions of Title VI and VII of the Civil Rights Act of 1964 (42USC 2000e) which prohibits discrimination against any employee or applicant for employment or any applicant or recipient of services, on the basis of race, religion, color, or national origin; and further agrees to abide by Executive Order No. 11246, as amended, which prohibits discrimination on the basis of sex; 45 CFR 90 which prohibits discrimination on the basis of age; and Section 504 of the Rehabilitation Act of 1973, or the Americans with Disabilities Act of 1990 which prohibits discrimination on the basis of disabilities. Also, the Contractor agrees to abide by Utah's Executive Order, dated March 17, 1993, which prohibits sexual harassment in the work place.
9. **SEPARABILITY CLAUSE:** A declaration by any court, or any other binding legal source, that any provision of this contract is illegal and void shall not affect the legality and enforceability of any other provision of this contract, unless the provisions are mutually dependent.
10. **RENEGOTIATION OR MODIFICATIONS:** This contract may be amended, modified, or supplemented only by written amendment to the contract, executed by the same persons or by persons holding the same position as persons who signed the original agreement on behalf of the parties hereto, and attached to the original signed copy of the contract.
11. **DEBARMENT:** The Contractor certifies that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction (contract), by any governmental department or agency. If the Contractor cannot certify this statement, attach a written explanation for review by the State. The Contractor must notify the State Director of Purchasing within 30 days if debarred by any governmental entity during the Contract period.
12. **TERMINATION:** Unless otherwise stated in the Special Terms and Conditions, this contract may be terminated, with cause by either party, in advance of the specified termination date, upon written notice being given by the other party. The party in violation will be given ten (10) working days after notification to correct and cease the violations, after which the contract may be terminated for cause. This contract may be terminated without cause, in advance of the specified expiration date, by either party, upon 90 days prior written notice being given the other party. On termination of this contract, all accounts and payments will be processed according to the financial arrangements set forth herein for approved services rendered to date of termination.
13. **NONAPPROPRIATION OF FUNDS:** The Contractor acknowledges that the State cannot contract for the payment of funds not yet appropriated by the Utah State Legislature. If funding to the State is reduced due to an order by the Legislature or the Governor, or is required by State law, or if federal funding (when applicable) is not provided, the State may terminate this contract or proportionately reduce the services and purchase obligations and the amount due from the State upon 30 days written notice. In the case that funds are not appropriated or are reduced, the State will reimburse Contractor for products delivered or services performed through the date of cancellation or reduction, and the State will not be liable for any future commitments, penalties, or liquidated damages.
14. **SALES TAX EXEMPTION:** The State of Utah's sales and use tax exemption number is E33399. The tangible personal property or services being purchased are being paid from State funds and used in the exercise of that entity's essential functions. If the items being purchased are construction materials, they will be converted into real property by employees of this government entity, unless otherwise stated in the contract.
15. **WARRANTY:** The contractor agrees to warrant and assume responsibility for all products (including hardware, firmware, and/or software products) that it licenses, contracts, or sells to the State of Utah under this contract for a period of one year, unless otherwise specified and mutually agreed upon elsewhere in this contract. The contractor (seller) acknowledges that all warranties granted to the buyer by the Uniform Commercial Code of the State of Utah apply to this contract. Product liability disclaimers and/or warranty disclaimers from the seller are not applicable to this contract unless otherwise specified and mutually agreed upon elsewhere in this contract. In general, the contractor warrants that: (1) the product will do what the salesperson said it would do, (2) the product will live up to all specific claims that the manufacturer makes in their advertisements, (3) the product will be suitable for the ordinary purposes for which such product is used, (4) the product will be suitable

for any special purposes that the State has relied on the contractor's skill or judgment to consider when it advised the State about the product, (5) the product has been properly designed and manufactured, and (6) the product is free of significant defects or unusual problems about which the State has not been warned. Remedies available to the State include the following: The contractor will repair or replace (at no charge to the State) the product whose nonconformance is discovered and made known to the contractor in writing. If the repaired and/or replaced product proves to be inadequate, or fails of its essential purpose, the contractor will refund the full amount of any payments that have been made. Nothing in this warranty will be construed to limit any rights or remedies the State of Utah may otherwise have under this contract.

16. **PUBLIC INFORMATION:** Contractor agrees that the contract will be a public document, and may be available for distribution. Contractor gives the State express permission to make copies of the contract and/or of the response to the solicitation in accordance with the State of Utah Government Records Access and Management Act. The permission to make copies as noted will take precedence over any statements of confidentiality, proprietary information, copyright information, or similar notation.
17. **DELIVERY:** Unless otherwise specified in this contract, all deliveries will be F.O.B. destination with all transportation and handling charges paid by the Contractor. Responsibility and liability for loss or damage will remain with Contractor until final inspection and acceptance when responsibility will pass to the State except as to latent defects, fraud and Contractor's warranty obligations.
18. **ORDERING AND INVOICING:** All orders will be shipped promptly in accordance with the delivery schedule. The Contractor will promptly submit invoices (within 30 days of shipment or delivery of services) to the State. The State contract number and/or the agency purchase order number shall be listed on all invoices, freight tickets, and correspondence relating to the contract order. The prices paid by the State will be those prices listed in the contract. The State has the right to adjust or return any invoice reflecting incorrect pricing.
19. **PAYMENT:** Payments are normally made within 30 days following the date the order is delivered or the date a correct invoice is received, whichever is later. All payments to the Contractor will be remitted by mail unless paid by the State of Utah's Purchasing Card (major credit card).
20. **PATENTS, COPYRIGHTS, ETC.:** The Contractor will release, indemnify and hold the State, its officers, agents and employees harmless from liability of any kind or nature, including the Contractor's use of any copyrighted or un-copyrighted composition, secret process, patented or un-patented invention, article or appliance furnished or used in the performance of this contract.
21. **ASSIGNMENT/SUBCONTRACT:** Contractor will not assign, sell, transfer, subcontract or sublet rights, or delegate responsibilities under this contract, in whole or in part, without the prior written approval of the State.
22. **DEFAULT AND REMEDIES:** Any of the following events will constitute cause for the State to declare Contractor in default of the contract:  
1. Nonperformance of contractual requirements; 2. A material breach of any term or condition of this contract. The State will issue a written notice of default providing a ten (10) day period in which Contractor will have an opportunity to cure. Time allowed for cure will not diminish or eliminate Contractor's liability for damages. If the default remains, after Contractor has been provided the opportunity to cure, the State may do one or more of the following: 1. Exercise any remedy provided by law; 2. Terminate this contract and any related contracts or portions thereof; 3. Impose liquidated damages, if liquidated damages are listed in the contract; 4. Suspend Contractor from receiving future solicitations.
23. **FORCE MAJEURE:** Neither party to this contract will be held responsible for delay or default caused by fire, riot, acts of God and/or war which is beyond that party's reasonable control. The State may terminate this contract after determining such delay or default will reasonably prevent successful performance of the contract.
24. **PROCUREMENT ETHICS:** The Contractor understands that a person who is interested in any way in the sale of any supplies, services, construction, or insurance to the State of Utah is violating the law if the person gives or offers to give any compensation, gratuity, contribution, loan or reward, or any promise thereof to any person acting as a procurement officer on behalf of the State, or who in any official capacity participates in the procurement of such supplies, services, construction, or insurance, whether it is given for their own use or for the use or benefit of any other person or organization (63-56-1002, Utah Code Annotated, 1953, as amended).
25. **CONFLICT OF TERMS:** Contractor Terms and Conditions that apply must be in writing and attached to the contract. No other Terms and Conditions will apply to this contract including terms listed or referenced on a Contractor's website, terms listed in a Contractor quotation/sales order, etc. In the event of any conflict in the contract terms and conditions, the order of precedence shall be: 1. State Standard Terms and Conditions; 2. State Additional Terms and Conditions; 3. Contractor Terms and Conditions.

(Revision date: July 5, 2005)

Attachment B  
Specifications  
Lighting and Signal Pedestals With Service Disconnect

**1.0 General Information**

Utah Department of Transportation (UDOT) has entered into an agreement with Myers Power Products Inc. to provide the State with "Lighting and Signal Pedestals with Service Disconnects" for underground electrical service. This will be a 5-year Requirements Contract. The furnished pedestals will be used to provide power to street lighting and signals.

**2.0 Contracted Items**

There are two types of pedestals in this contract:

Lighting Pedestal (2.1) and (5.0)

Signal Pedestal (2.2) and (6.0)

Specification in 3.0 and 4.0 apply to both Lighting and Signal pedestals.

**2.1 Lighting Pedestals**

**2.1.1 Lighting Pedestal A**

(Un-metered Service Only)

- \* 1-phase, 3-wire, 120/240V 200-amp Power Pedestal with base.
- \* 200 amp utility landing lugs rated for 250 MCM wire.
- \* 200 amp, 2-pole main plug-in circuit breaker (10K AIC).
- \* 12-circuit panel-board interior.
- \* (5) 30-amp, 2-pole plug-in circuit breakers (10K AIC).
- \* (1) 15-amp, 1-pole plug-in circuit breaker (10K AIC).
- \* (1) 30-amp, 10-pole electrically held lighting contactor.
- \* (1) Test switch.
- \* (1) Photocell module (shall not be responsive to vehicle headlights or other incidental area lighting).

**2.1.2 Lighting Pedestal B**

(Un-metered Service Only)

- \* 1-phase 3-wire 120/240V 200-amp Power Pedestal with base.
- \* 200 amp utility landing lugs rated for 250 MCM wire.
- \* 200 amp, 2-pole main plug-in circuit breaker (10K AIC).
- \* 12-circuit panel-board interior.
- \* (5) 30-amp 2-pole plug-in circuit breakers (10K AIC).
- \* (1) 15-amp, 1-pole plug-in circuit breaker (10K AIC).
- \* (1) 30-amp, 10-pole electrically held lighting contactor.
- \* (1) Test switch.
- \* Time clock: Digital 1-Channel Astro.

Attachment B  
Specifications  
Lighting and Signal Pedestals With Service Disconnect

2.1.3 Lighting Pedestal C  
(Un-metered Service Only).

- \* 1-phase 3-wire 240/480V 200-amp Power Pedestal with base.
- \* 200 amp utility landing lugs rated for 250 MCM wire.
- \* 200 amp, 2-pole main bolt-on circuit breaker (14K AIC).
- \* 12-circuit panel-board interior.
- \* (5) 30-amp 2-pole bolt-on circuit breakers (14K AIC).
- \* (1) 15-amp, 1-pole bolt-on circuit breaker (14K AIC)
- \* (1) 30-amp, 10-pole electrically held lighting contactor.
- \* (1) Test switch.
- \* (1) Photocell module (shall not be responsive to vehicle headlights or other incidental area lighting).

2.1.4 Lighting Pedestal D  
(Un-metered Service Only)

- \* 1-phase 3-wire 240/480V 200-amp Power Pedestal with base.
- \* 200-amp utility landing lugs rated for 250 MCM wire.
- \* 200-amp, 2-pole bolt-on circuit breaker (14K AIC).
- \* 12-circuit panel-board interior.
- \* (5) 30-amp 2-pole bolt-on circuit breakers (14K AIC).
- \* (1) 15-amp, 1-pole bolt-on circuit breaker (14K AIC)
- \* (1) 30-amp, 10-pole electrically held lighting contactor.
- \* (1) Test switch.
- \* Time clock: Digital 1-channel Astro.

Attachment B  
Specifications  
Lighting and Signal Pedestals With Service Disconnect

**2.2 Signal Pedestal**

**2.2.1 Signal Pedestal**

(Metered & Unmetered Service in the same pedestal).

- \* 1-Phase 3-wire 120/240v 100-amp Power Pedestal with base.
- \* 200-amp utility landing lugs rated for 250 MCM wire.
- \* Meter socket without meter

**Un-metered Side**

- \* (1) Double Pole 50-amp main plug-in circuit breaker (10K AIC) labeled "Un-metered Main".
- \* (1) Double pole 20-amp (120/240 volt) plug-in circuit breaker (10K AIC) labeled "lighting".
- \* Lighting circuit breaker shall be secondary to the un-metered main circuit breaker.
- \* Minimum capacity for (4) four un-metered double-pole circuit breakers.

**Metered Side**

- \* Double pole 70-amp main plug-in circuit breaker (10K AIC) labeled "Metered Main".
- \* (1) single pole 40-amp plug-in circuit breaker (10K AIC) labeled "Traffic Signal".
- \* Traffic signal circuit breaker shall be secondary to the metered main breaker.
- \* Minimum capacity for (4) four metered single pole circuit breakers.

Attachment B  
Specifications  
Lighting and Signal Pedestals With Service Disconnect

**3.0 Specifications For Both Lighting And Signal Pedestals**

- 3.1 Pedestal shall be a self-standing NEMA 3R cabinet with gasket in place.
- 3.2 Pedestal shall be fabricated of 3.0 mm (0.120 inch) minimum thickness anodized aluminum as required in accordance with NEMA 3R construction. All exterior cabinet and door seams shall be continuously welded with smooth seams. All welds shall be free from any voids. Edges shall be rounded up to a radius of 0.8 mm (0.030 inch) minimum.
- 3.3 Pedestal shall have service entrance, meter, and distribution compartments. A corrosion resistant barrier shall separate each compartment. Compartments shall be designed for safety and ease of maintenance and shall have an access panel or access door with stainless steel piano hinges. When a person is facing the cabinet, the hinges shall be on that person's left.
- 3.4 Doorframe shall be designed such that the latching mechanism will hold tension on, and form a firm seal around the door gasket. All exterior access panels shall be equipped with weather seals. Each exterior door and access panel shall have a provision for a padlock. (UDOT and / or the power utility will supply the external locks).
- 3.5 Exterior components shall be rustproof. Exterior shall not have any exposed hardware (such as nuts, bolts, etc.), except for handles or as otherwise specified.
- 3.6 Cabinet openings shall be designed to prevent entrance of insects (such as wasps, hornets, bees, etc.) and varmints when access panel and doors are closed.
- 3.7 If ventilation holes are required, a permanent insect screen shall be installed.
- 3.8 Adequate clearances shall be provided inside the cabinet for pulling and connecting to service and distribution (field) wiring with conduits extending into the cabinet 50 mm (2.0 inch) maximum.
- 3.9 Pedestal shall conform to UL508 Industrial Control Panel Labels for service entrance equipment requirements.
- 3.10 Pedestal shall be powder-coated light green .
- 3.11 Direct burial pedestals are not acceptable.
- 3.12 The cabinet shall have sealed windows made of shatter resistant *Lexan* (or equivalent) for meter reading and photocell operation. The meter shall be readable from the front of the cabinet.
- 3.13 There shall be two windows and mounting brackets on opposite sides of the cabinet for the photocell. The windows shall be on the sides of the cabinet, not on the front or back.
- 3.14 Bolt down requirements:
  - 3.14.1 Design to be bolted down to a concrete foundation or pad.
  - 3.14.2 Bolts will be 17mm (0.675 inch) maximum diameter extending out from the foundation or pad. Bolts will extend out of the foundation a minimum of 20mm (0.8 inches) and a maximum of 50mm (2.0 inches).
  - 3.14.3 All foundation bolts shall be secured from inside the pedestal.

Attachment B  
Specifications  
Lighting and Signal Pedestals With Service Disconnect

3.1.5 Pedestal Identification

Pedestal shall have documentation permanently and conveniently attached to the inside of the distribution section or a permanently attached interior documentation storage pocket or pouch. The documentation shall include the manufacturer's name, address, phone number, a wiring diagram, date of manufacture, and all necessary information to order an identical pedestal and replacement parts.

**4.0 Electrical Specifications For Both Lighting And Signal Pedestals**

- 4.1 Pedestal shall be pre-wired according to NEC and NEMA Specifications.
- 4.2 Fully wired with UL approved copper XHHW-2 (or UL approved equivalent) cable bussing, fully rated.
- 4.3 Provisions for terminating to a ground rod.
- 4.4 Pedestal shall be capable of operating when completely covered with snow. All electrical devices in the cabinet shall be kept away from standing water that may result from the melting of snow around the pedestal.
- 4.5 Pedestal shall be capable of operating in  $-35^{\circ}\text{C}$  ( $-30^{\circ}\text{F}$ ) to  $55^{\circ}\text{C}$  ( $130^{\circ}\text{F}$ ).
- 4.6 Circuit breakers shall be UL approved, industrial grade, and rated for 10K AIC minimum.
- 4.7 Plug-in circuit breakers shall be interchangeable between lighting pedestal and signal pedestal.

**5.0 Specific Specifications for Lighting Pedestal**

- 5.1 Pedestal shall have dimensions that conform to Figure 1, Base Dimensions.




Figure 1 Lighting Pedestal Base Dimensions

- 5.2 31" Height + or - 3"
- 5.3 All labels shall be permanent (etched or engraved) and mechanically fastened to the cabinet. Adhesives are not acceptable. The front exterior of the cabinet shall be labeled "UDOT LIGHTING DISCONNECT".



Attachment B  
Specifications  
Lighting and Signal Pedestals With Service Disconnect

5.4 The Pedestal shall have provision for distribution of un-metered power only.

**6.0 Specific Specifications for Signal Pedestal**

6.1 Pedestal shall have dimensions that conform to Figure 2, Base Dimensions.




Figure 2 Signal Pedestal Base Dimensions

- 6.2 48" Height + or - 3"
- 6.3 All labels shall be permanent (etched or engraved) and mechanically fastened to the cabinet. Adhesives are not acceptable.  
The front exterior of the cabinet shall be labeled  
"UDOT SIGNAL AND LIGHTING DISCONNECT".
- 6.4 Meet EUSERC requirements for all mounting hardware and installation details.
- 6.5 Fitted with EUSERC approved power meter base with manual link bypass.
- 6.6 Provision for distribution of both metered and un-metered power.

End

Attachment C  
Special Terms and Conditions  
Lighting Pedestals With Service Disconnect

**1.0 Invoicing**

In the event the State is entitled to a cash discount, the period of computation shall commence on the delivery date or the date of a correct invoice, whichever is later. If an adjustment in payment is necessary due to damage, the cash discount period shall commence on the date final approval is authorized. The State reserves the right to adjust incorrect invoices. UDOT's purchase order number shall be noted on each invoice.

**Submit Invoices To:**

Utah Department of Transportation  
Accounts Payable  
4501 South 2700 West  
Box 141510  
Salt Lake City, Utah 84114

State will remit payment by U.S. mail or electronic transfer.

**2.0 Delivery**

Deliver product to UDOT within 4-6 weeks after receipt of order. UDOT's purchase order must be noted on the packing slip, and invoice.

**3.0 Defectives**

- 3.1 If product is defective, user shall have the option of replacement or a full credit refund to be issued within 15-days.
- 3.2 If requested to return defective product, supplier shall pay for all shipping and handling charges back to supplier or factory.
- 3.3 Supplier shall arrange for a UPS pickup tag or provide a similar service for the return.

**4.0 Change In Pricing / Specification**

Any price increase request must guarantee the price for one-year and must be made at least (30) days prior to the requested effective date. Any request for change on prices or specifications must include sufficient documentation supporting the request. Request for change on prices or specifications shall not be effective until it is approved by the Procurement Supervisor or the Procurement Manager of the Utah Department of Transportation and incorporated by contract amendment.

**5.0 Warranty**

Supplier shall provide warranty for a minimum of 1-year from date of installation or 2-years from date of purchase whichever is greater.

**6.0 Pedestal Packaging**

Pedestal base must be packaged separately from the pedestal.

Attachment C  
Special Terms and Conditions  
Lighting Pedestals With Service Disconnect

**7.0 Future Purchases**

The State does not guarantee to purchase any amount under this contract.

**8.0 Package Identification**

- 8.1 11-digit commodity number and description must be marked visibly on the outside of the shipping container.
- 8.2 If multiple packages are required to make a complete set, they must be identified a 1 of 3, 2 of 3 etc.
- 8.3 Date of manufacture must be visible on the outside of the container.

**9.0 New Product Required**

Supplier must provide the State of Utah with new manufactured goods. The State will not accept refurbished product.

End.

Attachment D  
Pricing  
Signal and Lighting Pedestals With Service Disconnect

**Ship To Locations**

Central Warehouse  
4501 South 2700 West  
Salt Lake City, UT 84119

Region 1  
166 West Southwell Street  
Ogden, Utah 84404-4194

Region 3  
658 North 1500 West  
Orem, Utah 84057

Region 4 / Richfield  
1345 South 350 West  
Richfield, Utah 84701

Region 4 / Price  
940 South Carbon Ave  
Price, Utah 84501

Region 4 / Cedar City  
1470 N. Airport Road  
Cedar City, Utah 84721

**2.0 Pricing**

Delivered pricing as specified in Attachment B  
Lighting Pedestals With Service Disconnect.  
Signal Pedestals with Service Disconnect.  
*Foundation anchor bolts, locks, or electric meter will not be included.*

Attachment D  
Pricing  
Signal and Lighting Pedestals With Service Disconnect

**2.1 Lighting Pedestal A  
(Un-metered Service)**

- \* 1-phase, 3-wire, 120/240V Power Pedestal with base.
- \* 200 amp utility landing lugs rated for 250 MCM wire.
- \* 200 amp, 2-pole main plug in circuit breaker (10K AIC).
- \* 12-circuit panel-board interior.
- \* (5) 30-amp, 2-pole plug in circuit breakers (10K AIC).
- \* (1) 15-amp, 1-pole plug in circuit breaker (10K AIC).
- \* (1) 30-amp, 10-pole electrically held lighting contactor.
- \* (1) Test switch.
- \* Photocell module (shall not be responsive to vehicle headlights or other incidental area lighting).

<b>Ship To Locations</b>	<b>Lighting Pedestal "A" with Service Disconnect</b>
<b>Central Warehouse</b>	Delivered Price To All Locations <b>\$1057.80</b>
<b>Region 1 / Ogden</b>	
<b>Region 3 / Orem</b>	
<b>Region 4 / Richfield</b>	
<b>Region 4 / Price</b>	
<b>Region 4/ Cedar City</b>	
<b>Part Number</b>	<b>5101318</b>

<b>Re-Order Number</b>	
------------------------	--

Attachment D  
Pricing  
Signal and Lighting Pedestals With Service Disconnect

**2.2 Lighting Pedestal B  
(Un-metered Service)**

- \* 1-phase 3-wire 120/240V Power Pedestal with base.
- \* 200 amp utility landing lugs rated for 250 MCM wire.
- \* 200 amp, 2-pole main plug in circuit breaker (10K AIC).
- \* 12-circuit panel-board interior.
- \* (5) 30-amp 2-pole plug in circuit breakers (10K AIC).
- \* (1) 15-amp, 1-pole plug in circuit breaker (10K AIC).
- \* (1) 30-amp, 10-pole electrically held lighting contactor.
- \* (1) Test switch.
- \* Time clock: Digital 1-Channel Astro.

Ship To Locations	Lighting Pedestal "B" with Service Disconnect
Central Warehouse	Delivered Price To All Locations <b>\$1328.25</b>
Region 1 / Ogden	
Region 3 / Orem	
Region 4 / Richfield	
Region 4 / Price	
Region 4/ Cedar City	
Part Number	<b>5101319</b>

Re-Order Number	
-----------------	--

Attachment D  
Pricing  
Signal and Lighting Pedestals With Service Disconnect

**2.3 Lighting Pedestal C  
(Un-metered Service)**

- \* 1-phase 3-wire 240/480V Power Pedestal with base
- \* 200 amp utility landing lugs rated for 250 MCM wire.
- \* 200 amp, 2-pole main bolt-on circuit breaker (14K AIC).
- \* 12-circuit panel-board interior.
- \* (5) 30-amp 2-pole bolt-on circuit breakers (14K AIC).
- \* (1) 15-amp, 1-pole bolt-on circuit breaker (14K AIC)
- \* (1) 30-amp, 10-pole electrically held lighting contactor.
- \* (1) Test switch.
- \* Photocell module (shall not be responsive to vehicle headlights or other incidental area lighting).

Ship To Locations	Lighting Pedestal "C" with Service Disconnect
Central Warehouse	Delivered Price To All Locations \$1454.58
Region 1 / Ogden	
Region 3 / Orem	
Region 4 / Richfield	
Region 4 / Price	
Region 4/ Cedar City	
Part Number	5101320

Re-Order Number	
-----------------	--

Attachment D  
Pricing  
Signal and Lighting Pedestals With Service Disconnect

**2.4 Lighting Pedestal D  
(Un-metered Service)**

- \* 1-phase 3-wire 240/480V Power Pedestal with base.
- \* 200-amp utility landing lugs rated for 250 MCM wire.
- \* 200-amp, 2-pole main bolt-on circuit breaker (14K AIC).
- \* 12-circuit panel-board interior.
- \* (5) 30-amp 2-pole bolt-on circuit breakers (14K AIC).
- \* (1) 15-amp, 1-pole bolt-on circuit breaker (14K AIC)
- \* (1) 30-amp, 10-pole electrically held lighting contactor.
- \* (1) Test switch.
- \* Time clock: Digital 1-channel Astro.

Ship To Locations	Lighting Pedestal "D" with Service Disconnect
Central Warehouse	Delivered Price To All Locations <b>\$1753.55</b>
Region 1 / Ogden	
Region 3 / Orem	
Region 4 / Richfield	
Region 4 / Price	
Region 4/ Cedar City	
Part Number	<b>5101321</b>

Re-Order Number	
-----------------	--



Attachment D  
Pricing  
Signal and Lighting Pedestals With Service Disconnect

**2.5 Signal Pedestal**

**(Metered and Un-metered Service In the Same Pedestal)**

- \* 1-Phase 3-wire 120/240v 100-amp service with base.
- \* 200-amp utility landing lugs rated for 250 MCM wire.
- \* Meter socket without meter.

**Un-metered Side**

- \* (1) Double Pole 50-amp main circuit breaker (10K AIC) labeled "Un-metered Main".
- \* (1) Double pole 20-amp (120/240 volt) circuit breaker (10K AIC) labeled "lighting".
- \* Lighting circuit breaker shall be secondary to the un-metered main circuit breaker.
- \* Minimum capacity for (4) four un-metered double-pole circuit breakers.

**Metered Side**

- \* Double pole 70-amp main circuit breaker (10K AIC) labeled "Metered Main".
- \* (1) single pole 40-amp plug in circuit breaker (10K AIC) labeled "Traffic Signal".
- \* Traffic signal circuit breaker shall be secondary to the metered main breaker.
- \* Minimum capacity for (4) four metered single pole circuit breakers.

Ship To Locations	Signal Pedestal "A" with Service Disconnect
Central Warehouse	Delivered Price To All Locations \$952.75
Region 1 / Ogden	
Region 3 / Orem	
Region 4 / Richfield	
Region 4 / Price	
Region 4/ Cedar City	
Part Number	5002505

Re-Order Number	
-----------------	--

Attachment D  
Pricing  
Signal and Lighting Pedestals With Service Disconnect

**2.6 Replacement Lighting Base**

<b>Ship To Locations</b>	<b>Lighting Pedestal Base Only</b>
	Delivered Price To All Locations
<b>Central Warehouse</b>	<b>\$32.00</b>
<b>Region 1 / Ogden</b>	
<b>Region 3 / Orem</b>	
<b>Region 4 / Richfield</b>	
<b>Region 4 / Price</b>	
<b>Region 4/ Cedar City</b>	
<b>Part Number</b>	<b>510000</b>

Re-Order Number	
-----------------	--

**2.7 Replacement Signal Base**

<b>Ship To Locations</b>	<b>Signal Pedestal Base Only</b>
	Delivered Price To All Locations
<b>Central Warehouse</b>	<b>\$35.00</b>
<b>Region 1 / Ogden</b>	
<b>Region 3 / Orem</b>	
<b>Region 4 / Richfield</b>	
<b>Region 4 / Price</b>	
<b>Region 4/ Cedar City</b>	
<b>Part Number</b>	<b>500000</b>

Re-Order Number	
-----------------	--